



## HIT PARADE 4x4 VENTES PNEUS LEADER

| SFAM | SECTION | SERIE | DIAMETRE | IC  | IV | %     | Somme % |                |
|------|---------|-------|----------|-----|----|-------|---------|----------------|
| 4x4  | 215     | 65    | 16       | 98  | H  | 0,37% | 65,49%  | T<br>O 5<br>P  |
| 4x4  | 235     | 60    | 16       | 100 | H  | 0,35% | 66,91%  |                |
| 4x4  | 205     | 80    | 16       | 104 | T  | 0,17% | 78,78%  |                |
| 4x4  | 245     | 70    | 16       | 107 | H  | 0,15% | 80,21%  |                |
| 4x4  | 255     | 55    | 18       | 109 | Y  | 0,15% | 80,95%  |                |
| 4x4  | 235     | 55    | 17       | 99  | H  | 0,10% | 84,64%  | T<br>O 10<br>P |
| 4x4  | 205     | 70    | 15       | 96  | T  | 0,10% | 84,84%  |                |
| 4x4  | 225     | 70    | 16       | 102 | T  | 0,10% | 84,94%  |                |
| 4x4  | 235     | 60    | 18       | 103 | V  | 0,09% | 85,41%  |                |
| 4x4  | 215     | 60    | 17       | 96  | H  | 0,09% | 85,68%  |                |
| 4x4  | 255     | 50    | 19       | 103 | W  | 0,09% | 85,94%  | T<br>O 15<br>P |
| 4x4  | 225     | 60    | 18       | 100 | H  | 0,08% | 86,36%  |                |
| 4x4  | 225     | 65    | 17       | 101 | H  | 0,08% | 86,45%  |                |
| 4x4  | 275     | 40    | 20       | 106 | Y  | 0,08% | 86,53%  |                |
| 4x4  | 195     | 80    | 15       | 96  | S  | 0,08% | 87,27%  |                |
| 4x4  | 255     | 65    | 17       | 110 | T  | 0,08% | 87,43%  | T<br>O 20<br>P |
| 4x4  | 225     | 60    | 17       | 99  | H  | 0,08% | 87,58%  |                |
| 4x4  | 31      | 10.50 | 15       | 109 | S  | 0,08% | 87,81%  |                |
| 4x4  | 265     | 70    | 16       | 112 | H  | 0,07% | 88,11%  |                |
| 4x4  | 235     | 75    | 15       | 109 | T  | 0,07% | 88,39%  |                |
| 4x4  | 295     | 35    | 21       | 107 | Y  | 0,07% | 88,47%  | T<br>O 25<br>P |
| 4x4  | 265     | 70    | 16       | 112 | T  | 0,07% | 88,54%  |                |
| 4x4  | 235     | 70    | 16       | 106 | H  | 0,07% | 88,60%  |                |
| 4x4  | 265     | 65    | 17       | 112 | T  | 0,07% | 88,94%  |                |
| 4x4  | 225     | 65    | 17       | 102 | H  | 0,07% | 89,00%  |                |
| 4x4  | 255     | 65    | 16       | 106 | T  | 0,07% | 89,07%  | T<br>O 30<br>P |
| 4x4  | 225     | 55    | 18       | 98  | V  | 0,06% | 89,26%  |                |
| 4x4  | 215     | 70    | 16       | 100 | H  | 0,06% | 89,44%  |                |
| 4x4  | 185     | 65    | 15       | 92  | T  | 0,06% | 89,56%  |                |
| 4x4  | 205     | 80    | 16       | 104 | Q  | 0,06% | 89,62%  |                |
| 4x4  | 235     | 65    | 17       | 104 | V  | 0,06% | 89,68%  |                |
| 4x4  | 255     | 65    | 16       | 109 | H  | 0,06% | 89,74%  |                |
| 4x4  | 195     | 80    | 15       | 96  | T  | 0,06% | 89,98%  |                |
| 4x4  | 255     | 60    | 17       | 106 | V  | 0,06% | 90,21%  |                |
| 4x4  | 205     | 80    | 16       | 110 | S  | 0,05% | 90,59%  |                |
| 4x4  | 275     | 45    | 20       | 110 | Y  | 0,05% | 91,11%  |                |
| 4x4  | 235     | 55    | 18       | 100 | H  | 0,05% | 91,41%  |                |
| 4x4  | 235     | 60    | 18       | 103 | H  | 0,05% | 91,55%  |                |
| 4x4  | 275     | 45    | 19       | 108 | Y  | 0,05% | 91,60%  |                |
| 4x4  | 225     | 65    | 17       | 101 | S  | 0,05% | 91,88%  |                |
| 4x4  | 225     | 65    | 17       | 102 | T  | 0,05% | 91,92%  |                |
| 4x4  | 225     | 70    | 16       | 102 | H  | 0,04% | 91,97%  |                |
| 4x4  | 205     | 70    | 15       | 96  | H  | 0,04% | 92,27%  |                |
| 4x4  | 215     | 75    | 15       | 100 | Q  | 0,04% | 92,32%  |                |
| 4x4  | 235     | 65    | 17       | 108 | H  | 0,04% | 92,44%  |                |
| 4x4  | 245     | 65    | 17       | 107 | H  | 0,04% | 92,49%  |                |
| 4x4  | 255     | 60    | 17       | 106 | H  | 0,04% | 92,53%  |                |
| 4x4  | 265     | 65    | 17       | 110 | S  | 0,04% | 92,57%  |                |



**HIT PARADE 4x4**  
**VENTES PNEUS LEADER**

| SFAM | SECTION | SERIE | DIAMETRE | IC  | IV | %     | Somme % |
|------|---------|-------|----------|-----|----|-------|---------|
| 4x4  | 215     | 65    | 16       | 102 | T  | 0,04% | 92,73%  |
| 4x4  | 235     | 55    | 19       | 101 | W  | 0,04% | 92,77%  |
| 4x4  | 265     | 70    | 16       | 112 | S  | 0,04% | 92,81%  |
| 4x4  | 215     | 65    | 16       | 102 | H  | 0,04% | 92,97%  |
| 4x4  | 265     | 70    | 16       | 111 | T  | 0,04% | 93,24%  |
| 4x4  | 245     | 70    | 16       | 113 | S  | 0,04% | 93,46%  |
| 4x4  | 235     | 75    | 15       | 104 | R  | 0,04% | 93,81%  |
| 4x4  | 255     | 55    | 18       | 109 | V  | 0,04% | 93,85%  |
| 4x4  | 265     | 70    | 16       | 117 | S  | 0,04% | 93,88%  |
| 4x4  | 31      | 10.50 | 15       | 109 | Q  | 0,04% | 93,92%  |
| 4x4  | 275     | 55    | 17       | 109 | V  | 0,03% | 94,02%  |
| 4x4  | 215     | 75    | 15       | 100 | S  | 0,03% | 94,19%  |
| 4x4  | 235     | 85    | 16       | 120 | R  | 0,03% | 94,22%  |
| 4x4  | 31      | 10.50 | 15       | 109 | R  | 0,03% | 94,31%  |
| 4x4  | 225     | 75    | 16       | 112 | S  | 0,03% | 94,55%  |
| 4x4  | 235     | 75    | 15       | 105 | T  | 0,03% | 94,58%  |
| 4x4  | 255     | 60    | 18       | 112 | V  | 0,03% | 94,61%  |
| 4x4  | 265     | 60    | 18       | 110 | H  | 0,03% | 94,64%  |
| 4x4  | 265     | 70    | 15       | 112 | H  | 0,03% | 94,67%  |
| 4x4  | 265     | 70    | 15       | 112 | S  | 0,03% | 94,70%  |
| 4x4  | 235     | 75    | 15       | 104 | Q  | 0,03% | 94,90%  |
| 4x4  | 265     | 75    | 16       | 123 | S  | 0,03% | 94,93%  |
| 4x4  | 235     | 65    | 17       | 104 | T  | 0,03% | 95,15%  |
| 4x4  | 235     | 85    | 16       | 120 | Q  | 0,03% | 95,18%  |
| 4x4  | 195     | 70    | 15       | 92  | H  | 0,03% | 95,33%  |
| 4x4  | 215     | 75    | 15       | 100 | T  | 0,03% | 95,36%  |
| 4x4  | 215     | 70    | 15       | 98  | H  | 0,02% | 95,55%  |
| 4x4  | 235     | 65    | 17       | 108 | V  | 0,02% | 95,58%  |
| 4x4  | 235     | 70    | 16       | 106 | T  | 0,02% | 95,60%  |
| 4x4  | 235     | 75    | 15       | 104 | S  | 0,02% | 95,86%  |
| 4x4  | 235     | 85    | 16       | 120 | S  | 0,02% | 95,88%  |
| 4x4  | 235     | 60    | 17       | 102 | H  | 0,02% | 96,14%  |
| 4x4  | 235     | 65    | 17       | 104 | H  | 0,02% | 96,16%  |
| 4x4  | 275     | 40    | 20       | 106 | V  | 0,02% | 96,18%  |
| 4x4  | 185     | 65    | 15       | 88  | T  | 0,02% | 96,27%  |
| 4x4  | 235     | 70    | 16       | 105 | H  | 0,02% | 96,29%  |
| 4x4  | 215     | 60    | 17       | 96  | V  | 0,02% | 96,52%  |
| 4x4  | 215     | 65    | 16       | 98  | V  | 0,02% | 96,53%  |
| 4x4  | 235     | 55    | 18       | 99  | V  | 0,02% | 96,55%  |
| 4x4  | 255     | 50    | 19       | 103 | V  | 0,02% | 96,57%  |
| 4x4  | 33      | 10.50 | 15       | 114 | Q  | 0,02% | 96,59%  |
| 4x4  | 215     | 85    | 16       | 115 | Q  | 0,02% | 96,73%  |
| 4x4  | 245     | 60    | 18       | 105 | H  | 0,02% | 96,75%  |
| 4x4  | 245     | 75    | 16       | 120 | Q  | 0,02% | 96,77%  |
| 4x4  | 255     | 55    | 18       | 109 | H  | 0,02% | 96,79%  |
| 4x4  | 255     | 70    | 15       | 108 | H  | 0,02% | 96,80%  |
| 4x4  | 255     | 70    | 16       | 111 | T  | 0,02% | 96,82%  |
| 4x4  | 265     | 65    | 17       | 112 | H  | 0,02% | 96,84%  |



**HIT PARADE 4x4**  
**VENTES PNEUS LEADER**

| SFAM | SECTION | SERIE | DIAMETRE | IC  | IV | %     | Somme % |
|------|---------|-------|----------|-----|----|-------|---------|
| 4x4  | 225     | 75    | 15       | 102 | T  | 0,02% | 97,05%  |
| 4x4  | 225     | 75    | 16       | 115 | Q  | 0,02% | 97,07%  |
| 4x4  | 235     | 55    | 18       | 100 | V  | 0,02% | 97,08%  |
| 4x4  | 235     | 70    | 16       | 104 | S  | 0,02% | 97,10%  |
| 4x4  | 235     | 75    | 15       | 105 | H  | 0,02% | 97,12%  |
| 4x4  | 255     | 50    | 19       | 107 | V  | 0,02% | 97,13%  |
| 4x4  | 295     | 35    | 21       | 107 | V  | 0,02% | 97,15%  |
| 4x4  | 215     | 65    | 16       | 98  | T  | 0,01% | 97,30%  |
| 4x4  | 215     | 70    | 15       | 98  | T  | 0,01% | 97,31%  |
| 4x4  | 275     | 45    | 19       |     | Y  | 0,01% | 97,33%  |
| 4x4  | 285     | 45    | 19       | 107 | V  | 0,01% | 97,34%  |
| 4x4  | 205     | 80    | 16       | 104 | S  | 0,01% | 97,62%  |
| 4x4  | 215     | 65    | 16       | 98  | S  | 0,01% | 97,63%  |
| 4x4  | 215     | 80    | 16       | 103 | S  | 0,01% | 97,64%  |
| 4x4  | 225     | 65    | 16       | 104 | T  | 0,01% | 97,66%  |
| 4x4  | 225     | 75    | 16       | 103 | S  | 0,01% | 97,67%  |
| 4x4  | 225     | 75    | 16       | 104 | H  | 0,01% | 97,69%  |
| 4x4  | 235     | 55    | 17       | 99  | V  | 0,01% | 97,70%  |
| 4x4  | 255     | 50    | 19       | 107 | W  | 0,01% | 97,71%  |
| 4x4  | 285     | 50    | 20       | 112 | V  | 0,01% | 97,73%  |
| 4x4  | 225     | 70    | 17       | 108 | S  | 0,01% | 97,89%  |
| 4x4  | 235     | 50    | 18       | 97  | H  | 0,01% | 97,90%  |
| 4x4  | 235     | 50    | 18       | 97  | V  | 0,01% | 97,91%  |
| 4x4  | 255     | 50    | 19       | 107 | Y  | 0,01% | 97,92%  |
| 4x4  | 255     | 55    | 18       | 105 | H  | 0,01% | 97,93%  |
| 4x4  | 195     | 80    | 15       | 94  | R  | 0,01% | 98,22%  |
| 4x4  | 205     | 70    | 15       | 99  | S  | 0,01% | 98,23%  |
| 4x4  | 215     | 85    | 16       | 115 | R  | 0,01% | 98,24%  |
| 4x4  | 225     | 70    | 16       | 102 | R  | 0,01% | 98,25%  |
| 4x4  | 225     | 75    | 16       | 115 | S  | 0,01% | 98,26%  |
| 4x4  | 235     | 70    | 16       | 107 | T  | 0,01% | 98,27%  |
| 4x4  | 245     | 70    | 16       | 107 | T  | 0,01% | 98,28%  |
| 4x4  | 255     | 55    | 19       | 111 | V  | 0,01% | 98,29%  |
| 4x4  | 255     | 60    | 18       | 112 | H  | 0,01% | 98,30%  |
| 4x4  | 255     | 70    | 16       | 111 | H  | 0,01% | 98,32%  |
| 4x4  | 265     | 65    | 17       | 112 | S  | 0,01% | 98,33%  |
| 4x4  | 285     | 55    | 18       | 113 | V  | 0,01% | 98,34%  |
| 4x4  | 315     | 35    | 20       | 110 | W  | 0,01% | 98,35%  |
| 4x4  | 7.50    |       | 16       | 112 | S  | 0,01% | 98,36%  |
| 4x4  | 225     | 70    | 16       | 103 | H  | 0,01% | 98,44%  |
| 4x4  | 255     | 65    | 17       | 110 | H  | 0,01% | 98,45%  |
| 4x4  | 175     | 80    | 16       | 91  | S  | 0,01% | 98,77%  |
| 4x4  | 215     | 60    | 16       | 95  | H  | 0,01% | 98,78%  |
| 4x4  | 215     | 80    | 15       | 102 | S  | 0,01% | 98,79%  |
| 4x4  | 235     | 70    | 16       | 104 | Q  | 0,01% | 98,80%  |
| 4x4  | 235     | 75    | 15       | 108 | T  | 0,01% | 98,80%  |
| 4x4  | 255     | 45    | 20       | 101 | W  | 0,01% | 98,81%  |
| 4x4  | 255     | 55    | 18       | 105 | W  | 0,01% | 98,82%  |



## HIT PARADE 4x4 VENTES PNEUS LEADER

| SFAM | SECTION | SERIE | DIAMETRE | IC   | IV | %     | Somme % |
|------|---------|-------|----------|------|----|-------|---------|
| 4x4  | 255     | 70    | 15       | 108  | T  | 0,01% | 98,83%  |
| 4x4  | 255     | 70    | 16       | 111  | S  | 0,01% | 98,84%  |
| 4x4  | 255     | 70    | 16       | 115  | S  | 0,01% | 98,85%  |
| 4x4  | 255     | 75    | 15       | 110  | T  | 0,01% | 98,85%  |
| 4x4  | 265     | 70    | 15       | 110  | T  | 0,01% | 98,86%  |
| 4x4  | 275     | 40    | 20       | 106  | W  | 0,01% | 98,87%  |
| 4x4  | 275     | 70    | 16       | 114  | H  | 0,01% | 98,88%  |
| 4x4  | 285     | 45    | 19       | 107  | W  | 0,01% | 98,89%  |
| 4x4  | 295     | 40    | 20       | 110  | Y  | 0,01% | 98,89%  |
| 4x4  | 30      | 9.50  | 15       | 104  | S  | 0,01% | 98,90%  |
| 4x4  | 235     | 55    | 18       | 99   | Q  | 0,01% | 98,99%  |
| 4x4  | 235     | 60    | 16       | 100  | T  | 0,01% | 99,00%  |
| 4x4  | 235     | 75    | 15       | 105  | S  | 0,01% | 99,00%  |
| 4x4  | 245     | 65    | 17       | 111  | S  | 0,01% | 99,01%  |
| 4x4  | 195     | 80    | 15       | 96   | H  | 0,01% | 99,33%  |
| 4x4  | 205     | 70    | 15       | 95   | H  | 0,01% | 99,34%  |
| 4x4  | 205     | 80    | 16       | 110  | R  | 0,01% | 99,34%  |
| 4x4  | 215     | 70    | 16       | 99   | S  | 0,01% | 99,35%  |
| 4x4  | 225     | 60    | 16       | 98   | W  | 0,01% | 99,35%  |
| 4x4  | 225     | 65    | 18       | 103  | H  | 0,01% | 99,36%  |
| 4x4  | 225     | 70    | 15       | 100  | T  | 0,01% | 99,37%  |
| 4x4  | 225     | 70    | 16       | 103  | T  | 0,01% | 99,37%  |
| 4x4  | 225     | 75    | 16       | 110  | Q  | 0,01% | 99,38%  |
| 4x4  | 235     | 55    | 17       | 99 * | H  | 0,01% | 99,38%  |
| 4x4  | 235     | 55    | 19       | 105  | V  | 0,01% | 99,39%  |
| 4x4  | 235     | 65    | 17       | 108  | T  | 0,01% | 99,39%  |
| 4x4  | 245     | 45    | 20       | 99   | W  | 0,01% | 99,40%  |
| 4x4  | 245     | 65    | 17       | 111  | H  | 0,01% | 99,40%  |
| 4x4  | 245     | 65    | 17       | 111  | T  | 0,01% | 99,41%  |
| 4x4  | 245     | 70    | 16       | 111  | H  | 0,01% | 99,41%  |
| 4x4  | 245     | 75    | 16       | 108  | S  | 0,01% | 99,42%  |
| 4x4  | 255     | 50    | 19       | 107* | V  | 0,01% | 99,43%  |
| 4x4  | 255     | 55    | 18       | 109* | H  | 0,01% | 99,43%  |
| 4x4  | 255     | 70    | 15       | 108  | S  | 0,01% | 99,44%  |
| 4x4  | 255     | 70    | 16       | 115  | Q  | 0,01% | 99,44%  |
| 4x4  | 255     | 85    | 16       | 123  | Q  | 0,01% | 99,45%  |
| 4x4  | 265     | 50    | 19       | 110  | V  | 0,01% | 99,45%  |
| 4x4  | 265     | 50    | 19       | 110  | Y  | 0,01% | 99,46%  |
| 4x4  | 265     | 60    | 18       | 110  | V  | 0,01% | 99,46%  |
| 4x4  | 265     | 70    | 16       | 112  | Q  | 0,01% | 99,47%  |
| 4x4  | 265     | 70    | 17       | 112  | R  | 0,01% | 99,47%  |
| 4x4  | 265     | 75    | 16       | 112  | S  | 0,01% | 99,48%  |
| 4x4  | 265     | 75    | 16       | 123  | Q  | 0,01% | 99,49%  |
| 4x4  | 275     | 50    | 20       | 109  | W  | 0,01% | 99,49%  |
| 4x4  | 275     | 55    | 17       | 109  | H  | 0,01% | 99,50%  |
| 4x4  | 275     | 70    | 16       | 114  | T  | 0,01% | 99,50%  |
| 4x4  | 285     | 50    | 18       | 109  | W  | 0,01% | 99,51%  |
| 4x4  | 285     | 50    | 20       | 116  | Q  | 0,01% | 99,51%  |



## HIT PARADE 4x4 VENTES PNEUS LEADER

| SFAM | SECTION | SERIE | DIAMETRE | IC  | IV | %      | Somme % |
|------|---------|-------|----------|-----|----|--------|---------|
| 4x4  | 295     | 40    | 20       | 110 | V  | 0,01%  | 99,52%  |
| 4x4  | 295     | 45    | 19       | 109 | Y  | 0,01%  | 99,52%  |
| 4x4  | 30      | 9.50  | 15       | 104 | Q  | 0,01%  | 99,53%  |
| 4x4  | 30      | 9.50  | 15       | 104 | R  | 0,01%  | 99,53%  |
| 4x4  | 225     | 70    | 16       | 102 | S  | 0,004% | 99,60%  |
| 4x4  | 235     | 60    | 18       | 103 | W  | 0,004% | 99,60%  |
| 4x4  | 255     | 60    | 18       | 108 | H  | 0,004% | 99,61%  |
| 4x4  | 265     | 70    | 15       | 110 | H  | 0,004% | 99,61%  |
| 4x4  | 275     | 60    | 18       | 113 | H  | 0,004% | 99,62%  |
| 4x4  | 10      | 80    | 15       | 109 | N  | 0,003% | 99,89%  |
| 4x4  | 175     | 80    | 16       | 91  | Q  | 0,003% | 99,90%  |
| 4x4  | 195     | 80    | 15       | 94  | S  | 0,003% | 99,90%  |
| 4x4  | 205     | 65    | 16       | 95  | T  | 0,003% | 99,90%  |
| 4x4  | 205     | 70    | 15       | 95  | S  | 0,003% | 99,90%  |
| 4x4  | 205     | 75    | 15       | 97  | T  | 0,003% | 99,91%  |
| 4x4  | 215     | 60    | 17       | 96  | T  | 0,003% | 99,91%  |
| 4x4  | 215     | 70    | 16       | 99  | H  | 0,003% | 99,91%  |
| 4x4  | 215     | 70    | 16       | 100 | S  | 0,003% | 99,92%  |
| 4x4  | 215     | 85    | 16       | 110 | Q  | 0,003% | 99,92%  |
| 4x4  | 225     | 55    | 17       | 101 | H  | 0,003% | 99,92%  |
| 4x4  | 225     | 65    | 17       | 101 | Q  | 0,003% | 99,92%  |
| 4x4  | 225     | 75    | 16       | 110 | S  | 0,003% | 99,93%  |
| 4x4  | 235     | 45    | 20       | 100 | W  | 0,003% | 99,93%  |
| 4x4  | 235     | 55    | 17       | 103 | H  | 0,003% | 99,93%  |
| 4x4  | 235     | 60    | 18       | 107 | W  | 0,003% | 99,93%  |
| 4x4  | 235     | 65    | 17       | 104 | W  | 0,003% | 99,94%  |
| 4x4  | 235     | 70    | 15       | 103 | Q  | 0,003% | 99,94%  |
| 4x4  | 235     | 70    | 16       | 104 | T  | 0,003% | 99,94%  |
| 4x4  | 235     | 70    | 16       | 105 | T  | 0,003% | 99,95%  |
| 4x4  | 245     | 65    | 17       | 105 | T  | 0,003% | 99,95%  |
| 4x4  | 245     | 70    | 16       | 111 | T  | 0,003% | 99,95%  |
| 4x4  | 245     | 75    | 16       | 120 | S  | 0,003% | 99,95%  |
| 4x4  | 255     | 45    | 18       | 99  | V  | 0,003% | 99,96%  |
| 4x4  | 255     | 45    | 19       | 100 | W  | 0,003% | 99,96%  |
| 4x4  | 255     | 55    | 18       | 105 | V  | 0,003% | 99,96%  |
| 4x4  | 255     | 60    | 17       | 106 | T  | 0,003% | 99,96%  |
| 4x4  | 255     | 70    | 15       | 112 | S  | 0,003% | 99,97%  |
| 4x4  | 265     | 65    | 17       | 110 | T  | 0,003% | 99,97%  |
| 4x4  | 265     | 75    | 15       | 113 | T  | 0,003% | 99,97%  |
| 4x4  | 265     | 75    | 16       | 123 | R  | 0,003% | 99,98%  |
| 4x4  | 275     | 45    | 19       | 108 | V  | 0,003% | 99,98%  |
| 4x4  | 275     | 55    | 19       | 111 | V  | 0,003% | 99,98%  |
| 4x4  | 275     | 60    | 17       | 110 | V  | 0,003% | 99,98%  |
| 4x4  | 285     | 45    | 19       | 111 | V  | 0,003% | 99,99%  |
| 4x4  | 285     | 75    | 16       | 126 | Q  | 0,003% | 99,99%  |
| 4x4  | 295     | 45    | 20       | 114 | V  | 0,003% | 99,99%  |
| 4x4  | 215     | 70    | 16       | 100 | T  | 0,001% | 100,0%  |